

## Agua Fria National Monument Riparian Corridors

IBA web pages	<ul style="list-style-type: none"> <li>- <a href="http://www.audubon.org/important-bird-areas/agua-fria-national-monument-riparian-corridors">http://www.audubon.org/important-bird-areas/agua-fria-national-monument-riparian-corridors</a></li> <li>- <a href="http://aziba.org/?page_id=727">http://aziba.org/?page_id=727</a></li> </ul>
Priority	State
Qualifying Criteria	<p>D1: Site Important to Special Status Avian Species (<i>Western Yellow-billed Cuckoo, Yellow Warbler, Lincoln's Sparrow, Gila Woodpecker, Abert's Towhee, Bell's Vireo</i>)</p> <p>D3: Rare, Unique, or Exceptional Representative Habitat/Ecological Community (<i>low-elevation riparian</i>)</p> <p>D4vii: Important migratory stop-over/seasonal concentration for migratory land birds (<i>Swainson's Hawk, Red-naped Sapsucker, Southwestern Willow Flycatcher, Gray Flycatcher, Cordilleran Flycatcher, Brewer's Sparrow, Virginia's Warbler, Black-throated Gray Warbler, MacGillivray's Warbler, Gray Vireo, Brewer's Sparrow, Lark Bunting</i>)</p>
IBA Polygon Center Point (Latitude, Longitude)	34.3152°N 112.0641°W
Size	16,843 acres
County	Yavapai
Local Communities	Black Canyon City, Cordes Lakes
Description	<p>The Agua Fria National Monument is located in central Arizona approximately forty miles north of Phoenix east of Interstate 17. The 71,100 acres of federal land is comprised of Perry Mesa the adjacent, smaller Black Mesa, the public land to the north of these mesas, and the Agua Fria River Canyon. The area within the boundaries of the monument contains approximately 1,440 acres of private land not part of the designation (mostly associated with ranch headquarters). Elevations range from 2,150 feet above sea level along the Agua Fria Canyon to about 4,600 feet in the northern hills. The principal bird attractor is the 26.5 miles of riparian corridor along the Agua Fria River and tributary canyons.</p>

<p>Mission/Goals</p>	<p>Conservation of an exceptional example of low-elevation desert riparian habitat and the populations of breeding and migratory birds that depend on it.</p>
<p>Current Habitat Conservation, Planning, and Management Activities</p>	<p>The Agua Fria National Monument is managed by the Bureau of Land Management for multiple-uses and with an intent to preserve and protect the Monument archaeological, cultural, historical, topographical, vegetative, and wildlife resources. BLM management activities that benefit habitat and wildlife on the Monument include the implementation of a riparian area livestock grazing standards; a prescription fire program; and an OHV travel plan. In addition, they have installed interpretive signs and remote toilet facilities; and facilitated grasslands restoration projects.</p> <p>The Sonoran Audubon Society facilitates a great deal of data collection that informs the BLM’s management decisions. Data collection efforts include seasonal volunteer bird counts in riparian and uplands habitats, Western Yellow-billed Cuckoo surveys, and wet-dry mapping. In addition, the Monument is an area of focus during Audubon Arizona’s annual Western Yellow-billed Cuckoo survey effort.</p> <p>Other activities include:</p> <ul style="list-style-type: none"> <li>- Arizona Game and Fish Department (AZGFD) Yellow-billed Cuckoo surveys and Pronghorn Antelope Studies</li> <li>- Phoenix Desert Botanical Garden, University of Arizona, and Department of RNR plant inventories</li> <li>- Friends of Agua Fria National Monument and Arizona Antelope Foundation fence removal/modification projects</li> </ul>
<p>Land Cover Type<sup>1</sup> (%) and Associated Priority<sup>2</sup> Birds</p> <p><sup>1</sup>Southwest Regional Gap Analysis modified to align with ABBA/SWAP habitat types</p> <p><sup>2</sup>AGFD SGCN and IBA Qualifying Species</p>	<p>42.12 Semiarid/Sonoran Savannah Grasslands (<i>Lark Bunting, Brewer’s Sparrow</i>)</p> <p>25.09 Sonoran Desertscrub: Uplands (<i>Gila Woodpecker, Cactus Wren</i>)</p> <p>14.58 Riparian (<i>Western Yellow-billed Cuckoo, Southwestern Willow Flycatcher, Yellow Warbler, Lincoln’s Sparrow, Gila Woodpecker, Abert’s Towhee, Bell’s Vireo, Red-naped Sapsucker, Gray Flycatcher, Cordilleran Flycatcher, Crissal Thrasher, Virginia’s Warbler, MacGillivray’s Warbler</i>)</p>

	<p>9.61 Pinyon Pine-Juniper Woodland (<i>Virginia's Warbler, Black-throated Gray Warbler</i>)</p> <p>4.60 Sonoran Desertscrub: Lower Colorado River (<i>Verdin, Cactus Wren</i>)</p> <p>2.44 Mohave Desertscrub</p> <p>1.10 Interior Chaparral (<i>Gray Vireo</i>)</p> <p>0.46 Other (Madrean Pine-Oak Woodland, Urban/Residential, Chihuahuan Desertscrub, Mesquite, Sonoran/Mohave Desertscrub) (<i>Gila Woodpecker</i>)</p>
<p>Related Habitat Accounts*</p>	<p>Low Grasslands          Sonoran Desert          *Lowland Riparian          Pinyon Juniper</p>
<p>Biological Description</p>	<p>The Agua Fria National Monument consists of semi-desert grassland mesas with pockets of chaparral, mesquite, and desert riparian communities. Within these communities, a number of wells and watering tanks creating local micro-habitats. The IBA is restricted to the deeply cut canyons of the Agua Fria River and its tributaries. In the lower reaches of the Agua Fria (near Black Canyon City), the riparian forest is dominated by Fremont cottonwood and Goodding's willow. In the upper reaches of the river, Arizona ash and Arizona sycamore become the dominant riparian trees.</p> <p>This extensive riparian woodland provides both breeding and wintering habitat for a number of bird species and constitutes a recently discovered migration route paralleling the one along the Verde River. It supports one of the higher densities of nesting Yellow-billed Cuckoos in Arizona along with species with special conservation status, including breeding Common Black-Hawk, Yellow-billed Cuckoo, Bell's Vireo, Juniper Titmouse, Abert's Towhee, Lucy's Warbler, and Yellow Warbler.</p>
<p>Focal Bird Species</p>	<p><b><u>IBA Qualifying Species</u></b></p>

	<p>State: Western Yellow-billed Cuckoo, Southwestern Willow Flycatcher, Peregrine Falcon, Golden Eagle, Yellow Warbler, Lincoln’s Sparrow, Gila Woodpecker, Abert’s Towhee, Bell’s Vireo, Swainson’s Hawk, Red-naped Sapsucker, Gray Flycatcher, Cordilleran Flycatcher, Crissal Thrasher, Lark Bunting, Brewer’s Sparrow, Virginia’s Warbler, Black-throated Gray Warbler, MacGillivray’s Warbler, Gray Vireo</p> <p><b><u>AGFD Species of Greatest Conservation Need (2022)</u></b></p> <p>Tier 1: Western Yellow-billed Cuckoo, Peregrine Falcon,</p> <p>Tier 2: Common Black Hawk, American Kestrel, Gila Woodpecker, Costa’s Hummingbird, Cactus Wren, Townsend’s Solitaire, Yellow Warbler, Black-throated Gray Warbler, Verdin, Bell’s Vireo, Horned Lark, Lincoln’s Sparrow, Canyon Towhee, Abert’s Towhee, Brewer’s Sparrow, Bullock’s Oriole, Lark Bunting, Loggerhead Shrike</p> <p><b><u>Federal Threatened or Endangered Species</u></b></p> <p>Western Yellow-billed Cuckoo</p> <p><b><u>USFWS Birds of Conservation Concern</u></b></p> <p>National – Western Yellow-billed Cuckoo, Costa’s Hummingbird, Southwestern Willow Flycatcher, Loggerhead Shrike, Bell’s Vireo, Gray Vireo, Virginia’s Warbler, Lucy’s Warbler</p> <p>USFWS Region –Common Black-Hawk, Golden Eagle, Peregrine Falcon, Western Yellow-billed Cuckoo, Costa’s Hummingbird, Loggerhead Shrike, Bell’s Vireo, Gray Vireo, Lucy’s Warbler, Yellow Warbler.</p>
NABCI Bird Conservation Region	34: Sierra Madre Occidental
Ownership	Bureau of Land Management
Conservation Land Status**	National Monument
Human Population Density	Rural
Legislative District(s)	Arizona Congressional District 2 and State Legislative District I

NRCS Major Land Resource Area	50: Mogollon Transition 52: Sonoran Basin and Range
Visitation, main access, and permits needed	The Agua Fria National Monument is located 40 miles north of Phoenix, AZ. It is easily accessed by traveling on Interstate 17 to the Badger Springs (Exit #256), Bloody Basin Road (Exit #259), or Cordes Lakes/Dugas exits.

\*References available written narratives (located on the SJV website) for general habitat types occurring within the IBA.

\*\*Identifies whether the IBA or portions of the IBA have a special land management designation such as: wilderness, primitive area, wildlife area, refuge, park, monument, designated conservation area, conservation easement, or other similar designation

**IBA Activities:**

<b>Issue or Activity</b>	<b>Priority</b>	<b>Description</b>	<b>Actions</b>
AZ IBA Surveys	H	Annual breeding bird surveys	SAS lead- Encourage eBird entries
IBA Signage	Done	Install signs identifying the site as an IBA	Complete
IBA Dedication	Done	A formal recognition event	Complete
Western Yellow-billed Cuckoo survey	H	Annual surveys facilitated by Audubon Arizona staff, youth interns, and SAS.	2011-Present, Ongoing
Annual Wet Dry Mapping	H	Annual effort to monitor/map flow in the Agua Fria River led by Friends of the Agua Fria National Monument, and the BLM	Ongoing
Bird Blitz	L	BLM led. Audubon focus is to document high densities of Bell's Vireo.	First Blitz in 2016
Updated	October 2022		

**Partners:**

<b>Name</b>	<b>Role(s)</b>	<b>Contact Information</b>	<b>Actions</b>
BLM Phoenix District	Land Manager	<a href="https://www.blm.gov/visit/agua-fria">https://www.blm.gov/visit/agua-fria</a> (623) 580-5500 <a href="mailto:blm_az_pdo@blm.gov">blm_az_pdo@blm.gov</a>	Land Manager and AFNM Management Plan and Coordinated Resource Plan
Sonoran Audubon Society	Bird Surveys	<a href="http://sonoranaudubon.org/">sonoranaudubon.org/</a> 602-809-3360	Yellow-billed cuckoo and all bird surveys
Friends of Agua Fria National Monument	Stewards	<a href="https://friendsoftheaguafrianationalmonument.wildapricot.org/">https://friendsoftheaguafrianationalmonument.wildapricot.org/</a> <a href="mailto:fafnadmin@aguafriafriends.org">fafnadmin@aguafriafriends.org</a> (480) 779-7414	Annual Wet-Dry Mapping Volunteer Projects
Upper Agua Fria Watershed Partnership	Stewards	<a href="http://www.uafwp.org/">http://www.uafwp.org/</a> <a href="mailto:info@uafwp.org">info@uafwp.org</a>	Watershed meetings and coordination with partners
Arizona Game and Fish	Fish & Wildlife Management and Horseshoe Ranch	Region VI, Mesa (480) 981-9400	Horseshoe Ranch Cottonwood Garden Coordinated Resource Plan for Horseshoe Ranch

**Conservation Targets:**

These are species, communities, or ecological systems that represent and encompass the full array of biodiversity found in this IBA.

<b>Conservation Target</b>	<b>Current Condition</b>
Native Fish	Poor
Grassland Birds	Fair
Desert Birds	Good
Riparian Birds	Good

**Conservation Challenges:**

Conservation challenges are primarily human activities that immediately affect what we are trying to conserve. Through a Miradi process, it was found that altered water regime from drought or groundwater pumping pose the greatest threats to birds within this IBA. OHV and riparian pasture grazing are the second greatest threats to riparian birds. Current management has alleviated both threats within the IBA.

<b>Challenges</b>	<b>Desert Birds</b>	<b>Riparian Birds</b>	<b>Native Fish</b>	<b>Grassland Birds</b>	<b>Summary Rating</b>
Altered Water Regime	Low	High	High	Low	High
Grazing	Medium	Medium	High	Medium	Medium
OHV Impacts	Low	High	Medium	Low	Medium
Altered Fire Regime	Low	Medium	Medium	Low	Low
Invasive Crayfish	NA	Medium	High	NA	Low
Invasive plants (tamarisk and mustards)	Medium	Low	Low	Medium	Low
Summary Ratings:	Low	Medium	High	Medium	Medium

Agua Fria National Monument Riparian Corridors IBA					Severity (1-3)	Scope (1-3)	Permanence (2-4)	Immediacy (Optional 1-2)
<b>Threats on National Database</b>								
Forest Grazing	Overbrowsing riparian trees	5	2	2	1			
Invasive species	Non-native animals (Crayfish)	5	1	2	2			
Invasive species	Non-native plants (Tamarisk, Annuals)	5	1	2	2			
Recreation/Tourism	Off-road vehicles	5	1	3	1			
Water Diversions	Water Level Changes	8	1	3	3	1		